FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABBOT

DD-629
IDENTIFICATION NUMBER

COMMANDED BY

_____, U. S. N.

Attached to _____ Division,
_____ Squadron,
_____ Flotilla,
_____ Fleet,
_____ Naval District,

Commencing 1 FEBRUARY, 1962,
(zone time and date)
at U.S. NAVAL BASE, NEWPORT, RHODE ISLAND,
(location)

and ending 28 FEBRUARY, 1962,
(zone time and date)
at U.S. NAVAL BASE, NEWPORT, RHODE ISLAND
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT

(Day) FEB (Date) (Month), 19

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 R DATE Thursday (Day) 1 (Date) February (Month), 1962

AT/~~PASSAGE FROM~~ Berth 221 Pier 2 ~~TO~~ U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	W...	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	310	15	7	CLR	29.28	25	25						
02	320	13	7	CLR	29.29	25	25						
03	330	13	7	CLR	29.31	24	23						
04	360	13	7	CLR	29.33	24	24						
05	350	10	8	CLR	29.34	22	21						
06	005	9	8	CLR	29.34	21	20						
07	010	9	8	CLR	29.36	20	20						
08	020	14	8	CLR	29.38	19	18						
09	040	16	8	CLR	29.40	18	17						
10	050	16	8	CLR	29.41	20	19						
11	045	16	8	CLR	29.41	21	20						
12	040	17	8	CLR	29.42	23	21						
13	030	19	8	CLR	29.40	24	23						
14	005	20	8	CLR	29.38	24	23						
15	010	18	8	CLR	29.36	26	25						
16	000	16	8	CLR	29.35	24	24						
17	355	14	8	CLR	29.34	22	22						
18	350	11	8	CLR	29.32	21	20						
19	340	10	8	CLR	29.30	21	21						
20	330	10	6	OVC	29.31	20	19						
21	320	10	6	OVC	29.31	19	19						
22	320	9	6	OVC	29.32	19	19						
23	310	8	6	OVC	29.31	18	17						
24	315	8	6	OVC	29.30	15	14						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to Pier 2, in Berth 221, at U.S. Naval Base, Newport, R.I., in a nest of two ships, with standard destroyer mooring line and storm line forward and aft. Ships outboard from the pier: Abbot and U.S.S. Keppler (DD-765). This ship on "Cold Iron" receiving all utilities from the pier. Condition of readiness V and Material Condition Yoke (modified) are set. SOPA is ComDesLant aboard U.S.S. Yosemite (AD-19). Ships present include various units of U.S. Atlantic Fleet and local service craft.

Eugene J. Gallagher
Ens. USNR

04-08 Moored as before. 0745 Mustered the crew at quarters, foul weather parade. Unauthorized absentees: None.

Eugene J. Gallagher
Ens. USNR

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) THURSDAY (Day) 1 (Date) FEBRUARY (Month) 19 62

0800-1200 Moored as before 1000 made daily inspection of magazines and smokeless powder samples. All conditions normal.

P. F. Finch
Ens USN

1200-1600 Moored as before.

P. F. Finch
Ens USN

1600-2000 Moored as before

P. F. Finch
Ens USN

2000-2400 Moored as before

P. F. Finch
Ens USN

APPROVED:

A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE FRIDAY (Day) 2 (Date) FEBRUARY (Month), 1962

AT/~~PASSAGE FROM~~ BERTH 221, PIER #2 ~~TO~~ US NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	060	6	5	ovc	29.29	14	14						
02	070	8	5	ovc	29.30	12	11						
03	080	8	5	ovc	29.32	13	12						
04	060	5	6	ovc	29.32	16	16						
05	050	5	6	ovc	29.32	16	16						
06	030	9	6	ovc	29.31	15	14						
07	030	8	6	ovc	29.30	15	15						
08	050	9	4	ovc	29.31	17	17						
09	060	10	4	ovc	29.32	17	17						
10	070	12	4	ovc	29.30	18	18						
11	085	14	4	ovc	29.29	18	18						
12	095	13	4	ovc	29.30	20	20						
13	105	10	4	ovc	29.28	20	19						
14	130	10	4	ovc	29.26	22	20						
15	120	10	4	ovc	29.27	24	23						
16	100	10	4	ovc	29.28	26	24						
17	090	8	4	ovc	29.26	28	26						
18	083	11	4	BKN	29.25	31	30						
19	070	11	4	BKN	29.27	30	30						
20	090	12	6	CLR	29.28	30	30						
21	100	10	6	CLR	29.28	31	31						
22	120	9	6	CLR	29.28	33	32						
23	143	9	6	CLR	29.26	33	33						
24	130	5	6	CLR	29.24	33	32						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

ØØ-Ø4 Moored port side to Pier #2 in berth 221 at U.S. Naval Base, Newport, R.I. in a nest of two ships. Ships outboard from the pier: ABBOT, and USS KEPPLER (DDE 765). This ship receiving all services from the pier, using standard destroyer mooring lines doubled with storm lines fore and aft. Condition of readiness V and material condition YOKE are set. SOPA is ComDesLant aboard USS YOSEMITE (AD 19) Ships present include units of US Atlantic Fleet and local service craft.

P.L. Finch
Ens USN

Ø4-Ø8 Moored as before. Ø445 McAfee, B.J. 541-81-50 FA returned to the ship by Shore Patrol. Ø745 Mustered the crew at Quarters. No unauthorized absentees.

P.L. Finch
Ens USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) FRIDAY (Day) 2 (Date) FEBRUARY (Month), 19 62

08-12 Moored as before 1000 Made daily inspection of magazines and smokeless powder samples. Condition normal. 1945 The Summary Court Martial in the case of Cummings, H.A. 514 23 35, SN, USN, opened. 1110 The Summary Court Martial in the case of Cummings H.A., adjourned to await the action of the convening authority.

T.S. Ellis
Ens. USNR

12-16 Moored as before. 1350 Published the findings of and sentence in the case of Cummings, H.A., 514 23 35 SN, USN, tried By summary court martial for absence without leave. Findings: guilty. Sentence: confinement at hard labor for thirty (30) days and reduction in grade to seaman recruit. The Commanding Officer as convening authority approved and ordered executed only so much of the sentence as provides for confinement at hard labor for thirty days, with the reduction in grade to seaman recruit to be suspended for six (6) months. 1546. Cummings, H.A. 514 23 35, SN, USN left the ship for thirty (30) days confinement at hard labor in the U.S. Naval Base Brig, Newport, R.I.

T.S. Ellis
Ens. USNR.

16-20 Moored as before 1705 Pursuant to Commanding Officer, USS ABBOT (DD-629) serial no. 054, Ensign E.J. Gallagher 647126 USNR, left the ship for temporary additional duty at US Fleet Anti-Air Warfare Training Center, Dam Neck, Va.

T.S. Ellis
Ens. USNR.

20-24 Moored as before

T.S. Ellis
Ens. USNR.

APPROVED:

A. H. Craig, CDR., U. S. N. COMMANDING

EXAMINED:

[signature] LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5(R) DATE SATURDAY (Day) 3 (Date) FEBRUARY (Month), 1962

AT/PASSAGE FROM Berth 221, Pier #2, US Naval Base TO Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	130	9	4	OVC	30.16	33	32						
02	110	6	4	OVC	30.14	34	33						
03	090	10	4	OVC	30.13	29	25						
04	050	10	4	OVC	30.10	26	26						
05	050	10	4	OVC	30.09	26	25						
06	030	10	4	OVC	30.07	26	25						
07	020	10	4	OVC	30.05	26	25						
08	010	9	3	OVC	30.04	25	25						
09	025	8	3	OVC	30.02	25	25						
10	000	5	5	OVC	30.00	28	27						
11	010	8	3	OVC	29.98	29	29						
12	050	5	5	SNOW	29.96	31	31						
13	040	5	3	SNOW	29.94	32	32						
14	020	5	3	SNOW	29.92	32	32						
15	025	5	2	RAIN	29.90	32	32						
16	030	5	2	RAIN	29.90	32	32						
17	025	2	2	FOG	29.90	31	31						
18	030	4	2	FOG	29.89	30	30						
19	030	7	2	FOG	29.91	32	32						
20	043	10	2	FOG	29.93	35	34						
21	050	9	2	FOG	29.91	34	33						
22	065	5	2	FOG	29.91	34	33						
23	070	8	4	RAIN	29.92	37	35						
24	080	10	4	RAIN	29.92	37	35						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to pier #2 at berth 221, US Naval Base, Newport, R.I. using standard moorings, two bowlines with storm lines out fore and aft. Receiving all services from the pier. Condition of Readiness V. Material Condition Yoke set. SOPA is Commodore in USS YOSEMITE (AD-19). Officers visiting present are various ships of the US Atlantic Fleet and local service craft.

T R Ellis
Ens. USNR

04-08 Moored as before. 0745 Muster. Secured all quarters. No unauthorized absentees.

T R Ellis
Ens. USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) SATURDAY (Day) 3 (Date) FEB (Month), 1962

0800-1200 Moored as before. 0835 Personnel (30) from C
Officer Candidate ~~School~~ School, Newport, R. I. left.
Aboard for conducted tour. 0945 Made daily
inspection of magazines and sunkeles
powder sample. Conditions normal. 1030
Received charges from Shore Patrol Headquarters
Newport, R.I. on HORZIKER, G.C. 520 52 6854
alteration of U.S. Armed Forces identification
card, and BERRESLEY, J.F. 543 58 07 5M drinking
on a vessel and resisting apprehension.
1055 Personnel from Officer Candidate School
left the ship. LATE ENTRY 0913 #4 Boiler lit off.

John M. Kelleher
Ens. USNR

1200-1600 Moored as before.

John M. Kelleher
Ens. USNR

1600-2000 Moored as before. 1700 #1 Boiler and
#2 Boiler lit off.

John M. Kelleher
Ens. USNR

2000-2400 Moored as before. 2015 #1 and #2
Boilers secured.

John M. Kelleher
Ens. USNR

APPROVED:

A. W. Craig, CDR., U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE SUNDAY (Day) 4 (Date) FEB. (Month), 1962

AT/~~PASSAGE FROM~~ Pier 2 Berth 221 ~~TO~~ USNAVALBASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	150	5	6	CLR	29.94	37	35						
02	140	8	6	CLR	29.96	36	34						
03	160	15	6	CLR	29.97	36	35						
04	170	13	6	CLR	29.98	36	35						
05	170	13	6	CLR	29.98	36	35						
06	170	12	6	CLR	29.98	36	35						
07	175	11	6	CLR	29.99	37	36						
08	150	11	6	CLR	29.99	36	35						
09	150	12	6	CLR	29.97	37	36						
10	145	8	6	CLR	29.98	38	36						
11	150	6	6	CLR	29.99	40	38						
12	160	6	6	CLR	29.97	41	39						
13	130	9	6	CLR	29.96	44	42						
14	130	9	5	CLR	29.96	43	41						
15	130	10	5	CLR	29.94	44	42						
16	125	5	5	CLR	29.92	42	40						
17	120	5	5	CLR	29.91	41	40						
18	120	5	5	CLR	29.90	40	40						
19	120	5	5	CLR	29.92	40	40						
20	120	6	4	OVC	29.94	40	39						
21	125	6	4	OVC	29.96	42	40						
22	130	6	4	OVC	29.99	42	40						
23	150	6	4	OVC	29.97	41	39						
24	180	5	4	OVC	29.94	41	39						

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

0P-04 Moored port side to Pier 2 Berth 221 U.S. Naval Base, Newport, R.I. in need of two (2) ships USS ABBOT (DD 629) USS KEPPLER (DD 765) outboard from pier in that order with standard destroyer mooring lines doubled and 8" storm lines to pier fore and aft. This ship receiving all power and services from pier. Condition of Readiness IV and Material condition Yoke (unclassified) are set. SOPA is Comdesdiv 4 aboard USS YOSEMITE (AD 19) ships present include various units of U.S. Atlantic Fleet and local service craft.

John M. Kelleher
Ens. USNR

04-08
~~0P-04~~ Moored as before. 0800 Mustered the crew on stations. No unauthorized absentees.

John M. Kelleher
Ens. USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SUNDAY (Day) 4 (Date) FEB (Month), 19 62

0800-1200 Moored as before. 1000 made daily U.W.R. inspection of the magazines and powder samples. Conditions normal.

John M. Kelleher
Ens. USNR

1200-1600 Moored as before.

John M. Kelleher
Ens. USNR

1600-2000 Moored as before.

John M. Kelleher
Ens. USNR

2000-2400 Moored as before.

John M. Kelleher
Ens. USNR

APPROVED:

A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION 75R DATE MONDAY (Day) 5 (Date) FEB (Month), 19 63

AT/~~PASSAGE FROM~~ Pier 2 Berth 221 TO US NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	200	3	5	OVC	29.92	41	40						
02	210	4	5	OVC	29.90	42	41						
03	205	3	5	OVC	29.90	42	41						
04	140	3	4	OVC	29.88	44	43						
05	130	3	4	OVC	29.86	46	44						
06	130	2	3	FOG	29.84	47	45						
07	150	2	3	FOG	29.82	47	46						
08	170	2	3	FOG	29.80	48	46						
09	180	3	5	OVC	29.78	48	46						
10	165	3	5	OVC	29.76	48	46						
11	150	5	5	SCT	29.73	48	46						
12	140	8	7	CLR	29.73	48	46						
13	130	9	7	CLR	29.72	49	46						
14	120	8	7	CLR	29.72	47	44						
15	110	9	7	CLR	29.73	46	44						
16	100	5	7	CLR	29.71	48	46						
17	080	4	7	CLR	29.69	47	45						
18	090	4	7	CLR	29.67	47	47						
19	100	4	7	CLR	29.66	47	46						
20	150	5	7	CLR	29.64	46	44						
21	165	5	7	CLR	29.64	46	44						
22	180	4	7	CLR	29.63	45	43						
23	190	5	7	CLR	29.61	45	43						
24	190	7	7	CLR	29.59	43	42						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 moored pier side to Pier 2 Berth 221 U.S. Naval Base, Newport, R.I. in a nest of two (2) ships USS ABBOT (DD 629) USS KEPPLER (DD 765) outboard from pier in that order with standard destroyer mooring lines doubled and 8" shore line to pier fore and aft. This ship receiving all power and services from the pier. Condition of Readiness II and Material Condition Yoke (qualified) set. SOPA is Commander aboard USS YOSEMITE (AD 19). Ships present include various units of U.S. Atlantic Fleet and local service craft.

John M. Kelleher
Ens. USNR

04-08 moored as before. 0745 mustered the crew at quarters. BARTA G.F. 479 72 81 EM 2 and HALPERN, R.A. 544 56 86 UA nine. 0730 this date.

John M. Kelleher
Ens. USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) MONDAY (Day) 5 (Date) FEBRUARY (Month), 19 62

08-12 Moored as before. 0838 Lighted fires under #1 boiler. 0940 HALDEMAN, RA 5445686, MM FN USN returned to the ship having been AWOL since 0730 this date). 0945 BANTA, G.F. 4797289 EM2, USN returned to the ship having been AWOL since 0730 this date. DPG USS HYMAN ~~DD-a~~ (DD 732), USS NORRIS (DDE 859) and USS PURDY (DD 734) DPG shifted berths and joined the next outboard from USS KEPPLER (DD 765) in that order. 1006 Made daily inspection of magazines and smokeless powder samples. Conditions reported normal. 1145 Lighted off ship's service generator #2 and shifted to ship's power.

Donald P. Grinnell
ENS, USN.

12-16 Moored as before. 1210 USS HYMAN (DD 732) USS NORRIS (DDE 859) and USS PURDY (DD 734) shifted berths and left the nest.

Donald P. Grinnell
ENS, USN.

16-20 Moored as before.

Donald P. Grinnell
ENS. USN.

20-24 Moored as before.

Donald P. Grinnell
ENS, USN.

APPROVED:

A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5(R) DATE TUESDAY (Day) 6 (Date) FEBRUARY (Month), 19 62

AT/~~PASSAGE FROM~~ PIER #2 BERTH #221 ~~TO~~ US NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	190	7	7	CLR	29.59	43	42						
02	200	7	7	CLR	29.61	41	40						
03	210	8	7	CLR	29.63	39	38						
04	220	9	7	CLR	29.67	38	37						
05	230	11	7	CLR	29.69	36	34						
06	225	12	7	CLR	29.70	35	33						
07	240	12	8	CLR	29.72	33	32						
08	250	10	8	CLR	29.74	31	30						
09	270	10	8	CLR	29.76	29	28						
10	265	10	8	CLR	29.79	29	29						
11	260	9	8	CLR	29.81	30	30						
12	270	9	8	CLR	29.81	32	31						
13	280	8	8	CLR	29.83	34	32						
14	285	10	8	CLR	29.85	31	29						
15	290	10	8	CLR	29.87	29	27						
16	280	12	8	CLR	29.89	28	26						
17	260	12	8	CLR	29.89	26	25						
18	260	8	8	CLR	29.90	24	23						
19	275	8	8	CLR	29.91	21	21						
20	275	7	8	CLR	29.91	22	21						
21	280	6	7	CLR	29.93	22	22						
22	285	9	7	CLR	29.95	23	23						
23	280	11	7	CLR	29.98	22	22						
24	280	12	7	CLR	29.01	21	21						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to pier 2, berth 221 at US. NAVAL BASE, Newport, R.I. with Standard destroyer mooring lines doubled and stern lines out to the pier fore and aft, in a nest of two ships including ABBOT and USS KEPPLER (DD 765) in that order from the pier. Boiler #1 and ship's service generator #2 are on the line for auxiliary purposes, receiving fresh water and power from the pier. Condition of Wetness I and material condition YOKE modified are set. SOPA is Commander Task Group 84.1 aboard USS YOSEMITE (AD 19). Ships present include various units of the US Atlantic fleet and yard service craft.

Donald P. Grinnell
ENS, USN

04-08 Moored as before. 0530 Lighted fires under #1 boiler. 0740 Commenced preparations for getting underway. Set material condition YOKE throughout the ship. 0745 Muster of the Crew on station. Unauthorized absentees: NONE

Donald P. Grinnell
ENS, USN.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) TUES (Day) 6 (Date) FEB (Month) 1962

08-12 Moored as before 0805 Set the special sea detail. 0900 Draft forward 13'6", Draft aft 13'6". 0910 Underway in accordance with U.S. Naval Base, Newport, Op schedule 6-62 maneuvering on various courses at various speeds while leaving port. 1000 Rec'd daily inspections of magazines and machinery guider samples. Conditions normal. Entered international waters. S/C 140°T S/S 15KT.

P B Ellis
Ens. USNR

12-16 Steaming as before. 1222 C/C 320°. 1245 C/C 090° Sounded CIC General Quarters. 1249 Condition ZEBRA set. 1259 C/S 20 knots. 1304 C/C 025°. 1310 C/C 093°. 1311 C/S 10 knots. 1313 C/C 120°. 1314 C/C 140° 1316 Maneuvering on various courses and speeds while conducting gunnery (AA) exercises. 1450 Secured from general Quarters and CIC Gunnery Exercises, set condition YOKE. 1530 C/C 310°. ammunition expended: 28 RDS 5"/38 VT NF; 27 RDS 3"/50 VT NF

C V Bayley
LTJG USN

16-20 Steaming as before. 1704 C/C to 130. 1713 C/C to 110. 1717 C/C to 120. 1724 C/C 090. 1745 C/C to 080. 1800 C/C to 270. 1817 C/C to 290. 1915 to 270. 1938 C/C to 240. 1942 C/C to 100.

George T. Summers
Lt. j. g. USN

20-24 Steaming as before 2001 C/C 090. 2103 C/C 270. 2200 C/C 090. 2245 C/C 270. 2330 C/C 090. 2359 C/C 270.

Robinson
LTJG USNR

APPROVED: A. W. Craig, CDR, U. S. N. COMMANDING

EXAMINED: Robinson LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT COO (629) ZONE DESCRIPTION +5 R DATE WEDNESDAY (Day) 7 (Date) FEBRUARY (Month), 19 62

AT/PASSAGE FROM Narrabay Op Areas TO US Naval Base, Newport, R. I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	210	9	4	OVC	30.30	28	28						
02	220	7	4	OVC	30.31	27	27						
03	225	8	4	OVC	30.31	26	25						
04	230	9	4	OVC	30.30	27	25						
05	230	9	4	OVC	30.28	28	26						
06	220	10	4	OVC	30.27	28	26						
07	210	12	4	OVC	30.26	29	28						
08	200	10	4	OVC	30.26	31	30						
09	210	12	4	OVC	30.29	31	30						
10	230	14	4	OVC	30.28	30	29						
11	230	15	6	OVC	30.29	30	29						
12	235	12	6	OVC	30.27	32	31						
13	220	14	4	SNOW	30.26	35	34						
14	200	12	4	SNOW	30.23	35	35						
15	210	10	4	SNOW	30.22	35	35						
16	200	8	3	SNOW	30.21	35	35						
17	195	5	3	SNOW	30.19	35	35						
18	200	6	3	SNOW	30.18	34	34						
19	200	9	4	SCT	30.16	36	35						
20	200	6	4	SCT	30.15	37	37						
21	210	6	4	SCT	30.12	37	37						
22	215	7	4	SCT	30.10	36	36						
23	200	3	5	SCT	30.08	36	36						
24	212	3	7	CLR	30.08	35	34						

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Steaming independently in Narrabay Op Areas 11B-5A in accordance with US Naval Base Newport Op schedule 6-62. Boilers #1 + #4 and Generators #1 + #2 are on the line, split plant. Sup heat is low. Base course is 090°-270° Base speed 10 Kts Material condition Yoke is set. 0205 c/c to 090°T 0350 c/c to 270°T

R. A. K. Taylor
LTJG, U.S.N.

04-08 Steaming as before. 0555 c/c 090° 0742 c/c 280° 0758 Made daily inspection of magazines and smokeless powder samples; conditions normal. 0759 Mustered the crew on station; unauthorized absentees: none.

C A Bayley
AT JG USN

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) WED (Day) 7 (Date) FEB (Month), 1962

08-12 Steaming as before. 0802 c/c to 230. 0845 Went to General Quarters. 0850 Condition Zebra set. 0853 c/c to 180. Commenced 2-6-G exercise. 0902 c/c to 090, maneuvering on various courses and speeds while conducting exercise. 1040 Set condition Yoke. Completed 2-6-G exercise having expended 76 rounds of 5"/38 UTAF and 69 rounds of 3"/50 UTAF. Secured from General Quarters. 1050 c/c to 325.

George T. Simmons
Lt.j.g. USN

12-16 Steaming as before. 1200 c/s to 15 kts. 1220 c/s to 18 kts. 1223 c/c to 258°T 1224 c/c to 270°T 1235 c/c to 328°T 1242 c/s to 21 kts. 1302 c/c to 335°T 1318 c/s to 15 kts. 1336 c/c to 337°T 1353 c/c to 330°T. 1426 Stationed the Special Sea detail; Steering Various Courses and Speeds to conform to Channel. 1435 Passed Castle Hill Light abeam to Stbd. 1446 Passed Rose Island Light abeam to Port Side 1502 Moored Starboard side to Berth 111 U.S. Naval Base, Norfolk, Va. 1540 Commenced receiving fuel from YO-177.

C J Eggers
Ens., USNR

16-20 Moored as before. 1625 Secured from taking on fuel having received 34,711 gallons. 1638 YO 177 cleared from port side.

John M. Kelleher
Ens. USNR

20-24 Moored as before.

John M. Kelleher
Ens USNR

APPROVED: A. W. Craig, CDR., U. S. N. COMMANDING

EXAMINED: L Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE THURSDAY (Day) 8 (Date) FEBRUARY (Month), 19 62

AT/~~PASSAGE FROM~~ PIER 1 BERTH 111 ~~TO~~ US NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	215	3	5	CLR	30.10	35	35						
02	220	3	5	CLR	30.12	35	35						
03	230	5	5	CLR	30.13	36	36						
04	250	8	6	CLR	30.15	36	36						
05	280	11	6	CLR	30.17	36	35						
06	290	16	6	CLR	30.18	38	38						
07	300	9	8	CLR	30.20	40	39						
08	310	7	8	CLR	30.20	40	39						
09	305	7	8	CLR	30.21	41	40						
10	295	6	8	CLR	30.20	44	43						
11	280	5	8	CLR	30.22	43	42						
12	260	5	8	CLR	30.24	41	40						
13	270	5	8	CLR	30.22	40	39						
14	260	6	8	CLR	30.23	40	38						
15	250	7	8	CLR	30.22	39	38						
16	250	7	8	CLR	30.20	37	36						
17	240	7	8	CLR	30.19	35	35						
18	240	8	8	CLR	30.18	36	35						
19	240	8	6	CLR	30.16	36	35						
20	230	8	6	CLR	30.15	36	35						
21	220	9	6	CLR	30.14	34	34						
22	220	7	6	CLR	30.10	35	35						
23	215	6	6	CLR	30.06	36	33						
24	210	5	4	CLR	30.04	35	34						

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

0000-04 Moored starboard side to Pier 1 Berth 111, U.S. Naval Base Newport, R.I. with standard destroyer mooring lines doubled and 8" storm line to pier forward. This ship on own power. #1 Boiler and #2 Generator on the line. Condition of Readiness I and Material Condition Yoke (modified) and set. SQQS is Commanding and aboard the USS YOSEMITE (AD 19). Ships present include various units of the U.S. Atlantic Fleet and local service craft.

John M. Kelleher
Ens. USNR

0400-0800 moored as before DS 06 Lt off #2 Boiler 0645 mustered the crew on stations. Unauthorized absentees: MORGAN, W.P., FA, USN 540 67 14, UA since 0630 this date. 0700 Set the Special Sea and Anchor Detail; Made all preparations for getting underway. 0729 Underway in accordance with NAVSTA DPT Op-Order 6-62; maneuvering on various courses and speeds to clear Newport harbor.

C.J. Bayley
LTJG USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) THURS (Day) 8 (Date) FEB (Month), 1962

08-12 Maneuvering as before. 0806 Passed Brenton Reef lightship abeam to port; secured Special Sea and Anchor detail. C/C 158° C/S 20 knots. 0850 Made daily inspection of magazines and smokeless powder samples; conditions: normal. 0927 C/C 152° 0945 Sounded General Quarters. 0949 Condition ZEBRA set. 0950 Maneuvering on various courses and speeds while conducting non-firing gunnery exercises. 1025 Set condition YOKE. 1145 Secured from General Quarters

C T Bayley
ATTG USN

12-16 Steaming as before. 1430 Stationed the Special Sea and Anchor Detail. With Brenton Reef lightship 500 yds abeam to port commenced maneuvering on various courses and speeds while navigating Newport harbor. 1505 Moored starboard side to pier one berth III U. S. Naval Base Newport, R. I. with standard destroyer mooring lines doubled and an 8" storm line to the pier fore and aft. SOPA is Commanding Officer USS Yosemite (AD19). Ships present include various units of the Atlantic fleet plus harbor and district craft. 1525 Secured the Special Sea and Anchor Detail.

George T. Semmens
Lt. j. g. USN

16-20 Moored as before.

L Coburn
LTJG USNR

20-24 Moored as before. 2350 MORGAN, W.P., FA, 5406714, returned to the ship having been UA since 0630 this date a period of 17 hours and 20 minutes

L Coburn
LTJG USNR

APPROVED: A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED: L Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE FRIDAY (Day) 9 (Date) FEBRUARY (Month), 1962

AT/~~PASSAGE FROM~~ Pier 1 Berth 111 ~~TO~~ US Naval Base, Newport R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	250	5	7	CLR	30.01	35	34						
02	270	5	7	CLR	30.01	35	34						
03	280	5	7	CLR	30.03	34	33						
04	300	4	8	CLR	30.04	36	34						
05	065	2	8	CLR	30.05	35	35						
06	065	3	8	CLR	30.06	35	35						
07	075	3	8	CLR	30.04	36	36						
08	075	7	8	CLR	30.04	39	38						
09	080	7	7	CLR	30.02	39	39						
10	075	5	6	SCT	30.00	38	37						
11	060	7	6	SCT	29.99	38	37						
12	050	7	6	SCT	29.97	39	38						
13	070	9	6	OVC	29.98	40	40						
14	060	8	6	OVC	29.99	41	40						
15	050	7	6	OVC	29.98	41	40						
16	030	6	6	OVC	29.97	40	40						
17	050	5	6	SNOW	29.97	39	39						
18	060	5	6	SNOW	29.97	38	38						
19	060	5	6	SNOW	29.97	40	39						
20	070	7	3	SNOW	29.97	43	42						
21	040	5	3	SNOW	29.96	39	39						
22	030	5	3	SNOW	29.94	36	36						
23	030	5	3	SNOW	29.94	35	35						
24	020	8	3	SNOW	29.92	35	35						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to Pier 1 Berth 111 with standard destroyer mooring lines doubled and storm tides fore and aft. Receiving fresh water and telephone services from the pier. Condition of Readiness I and Material Condition Yoke Set. SOPA is ComDesLant in USS YOSEMITE (AD19). Ships present include units of the US Atlantic Fleet plus harbor craft.

Coburn
LTJG USNR

04-08 Moored as before. 0745 Mustered the crew on stations; unauthorized absentees: None.

Coburn
LTJG USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) FRIDAY (Day) 9 (Date) FEBRUARY (Month), 19 62

08-12 Moored as before. Set Material Condition Yoke, stationed the special sea detail 0820 Completed all preparations for getting underway. 0831 Underway in accordance with Nav. Sta. Dept Op-Order 6-62 Maneuvering on various courses at various speeds to clear piers and enter channel. Captain and Navigator on the bridge. 0850 passed Rose Island Light abeam to port. 0855 passed Bull Lt. Cupola abeam to stbd. 0900 passed Castle Hill Light abeam to port. 0906 Secured the special sea detail 0907 passed Brenton Reef Lightship abeam to stbd. 0913 C/C 180 0931 C/C 090 0941 Exercised the crew at General Quarters. Held advanced damage control drills; set Condition Zebra. 1026 Set Condition Circle William 1115 completed all drills, secured from General Quarters, set Condition Yoke. C/C 270 C/S 10 knots 1150 Made daily inspection of all magazine and smokeless powder samples; condition normal.

Raymond K Taylor
Ltjg USN.

12-16 Steaming as before. 1225 C/C 090° 1300 Ship exercised at General Quarters. 1304 Material condition ZEBRA set. 1315 Commenced Damage Control and Engineering Casualty Control drills. 1330 C/C 270° 1403 C/C 310° 1430 Secured from general Quarters; secured all drills. Set Material Condition YOKE. 1439 Stationed special sea and anchor detail. 1440 passed Brenton Reef Light to ship abeam to port; entered Inland waters. 1447 Passed Castle Hill light abeam to starboard; maneuvering on various courses at various speeds while entering Newport harbor. 1515 Moored berth 222, Pier Two, U.S. Naval Base, Newport R.I., in a nest of two ships outboard of USS KEPPLER (DDE 765), using standard destroyer mooring lines plus 8 inch manila storm line to the pier fore and aft. 1524 Secured Special Sea and Anchor detail.

C T Bayley
LTJG, USN

16-20 Moored as before.

Donald P. Grinnell
ENS, USN

20-24 Moored as before.

Donald P. Grinnell
ENS, USN

APPROVED: A. W. Craig, CDR, U. S. N. COMMANDING

EXAMINED: Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD 629 ZONE DESCRIPTION +5 R DATE SATURDAY (Day) 10 (Date) FEBRUARY (Month), 19 62

AT/~~PASSAGE FROM~~ PIER #2 BERTH #222 TO US NAVAL BASE NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	020	18	4	SNOW	29.70	35	35						
02	030	18	4	SNOW	29.70	35	34						
03	015	17	4	RAIN	29.73	35	34						
04	020	17	4	SNOW	29.73	35	34						
05	050	19	4	SNOW	29.73	33	32						
06	070	15	4	SNOW	29.75	31	30						
07	090	20	4	SNOW	29.75	31	30						
08	080	25	4	SNOW	29.78	30	29						
09	050	20	4	SNOW	29.80	27	26						
10	040	23	4	OVC	29.82	25	24						
11	000	25	4	OVC	29.84	27	26						
12	010	23	4	OVC	29.85	29	28						
13	030	20	6	CLR	29.87	28	28						
14	020	14	6	CLR	29.89	28	28						
15	030	15	6	CLR	29.91	28	27						
16	050	20	6	CLR	29.93	31	30						
17	080	20	6	CLR	29.94	32	31						
18	090	15	6	CLR	29.97	32	31						
19	090	15	6	CLR	29.99	31	30						
20	085	13	6	CLR	30.01	29	28						
21	090	13	6	CLR	30.02	27	26						
22	090	17	6	CLR	30.04	23	22						
23	085	14	6	CLR	30.06	23	22						
24	080	15	6	CLR	30.08	19	18						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored portside to USS KEPPLER (DD 765) in berth 222, pier 2 US Naval Base, Newport R.I. with standard destroyer mooring lines doubled and storm lines out to the pier fore and aft. Number 4 boiler and ship's service generator #2 and on the lines for auxiliary purposes. SOPA is Com Des Lant aboard USS YOSEMITE (AD 19). Ships present include various units of the US. Atlantic Fleet and local service craft. 0213 Commenced taking on fresh water. 0322 Secured from taking on fresh water having received 7454 gallons.

Donald P. Grinnell
ENS., USN.

04-08 Moored as before. 0552 Lighted fires under number 2 boiler. 0700 Commenced preparations for getting underway. Set material condition YOKE. 0730 Stationed the special sea detail. 0732 Completed all preparations for getting underway. Draft: forward 13'-2", aft 13'-8" 0745 Mustered the crew on stations. Unauthorized absentees: NONE

Donald P. Grinnell
ENS, USN.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SATURDAY (Day) 10 (Date) FEBRUARY (Month) 19 62

Ø8-12 Moored as before. 0805 Underway in accordance with U.S. Naval Station, Newport, R.I. Op Order 2-62 to conduct bumper drills, maneuvering on various courses and at various speeds to Melville, R.I. 1000 made daily inspection of magazines and smokeless powder samples. All conditions normal. 1100 completed bumper drills. Enroute Newport, R.I. 1135 Moored port side to USS KEPPLER (DDE 765) in berth 222 at Pier #2 US Naval Base, Newport, R.I. 1145 Secured the Special Sea Detail.

P.T. Finch
Ens USN

12-16 Moored as before. 1440 Shifted from ship's electrical power to shore power.

P.T. Finch
Ens USN

16-2Ø Moored as before. 1643 Shifted to shore steam. 1647 Secured number two boilers.

P.T. Finch
Ens USN

2Ø-24 Moored as before. 2242 Lightsey, W.C. 540-67-68 EN returned to the ships by Shore Patrol.

P.T. Finch
Ens USN

APPROVED: A. H. Craig, CDR. U. S. N. COMMANDING

EXAMINED: [signature] LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE SUNDAY (Day) 11 (Date) FEBRUARY (Month), 19 62

AT/~~PASSAGE FROM~~ BERTH 222, PIER #2 ~~TO~~ US NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	290	25	6	CLR	30.14	11	9						
02	290	25	6	CLR	30.16	11	9						
03	300	22	6	CLR	30.18	11	9						
04	310	21	6	CLR	30.20	9	9						
05	280	20	6	CLR	30.23	10	10						
06	290	22	6	CLR	30.25	9	9						
07	310	20	6	CLR	30.27	9	9						
08	315	18	7	CLR	30.28	11	10						
09	330	22	7	CLR	30.29	13	12						
10	340	19	7	CLR	30.29	15	13						
11	345	14	7	CLR	30.26	15	13						
12	340	15	8	CLR	30.23	18	17						
13	330	18	8	CLR	30.21	21	20						
14	340	18	8	CLR	30.19	21	20						
15	350	18	8	CLR	30.17	22	21						
16	353	14	8	CLR	30.16	25	24						
17	343	11	8	CLR	30.15	30	29						
18	013	12	8	CLR	30.14	26	26						
19	025	10	8	CLR	30.14	24	24						
20	050	6	7	CLR	30.15	25	25						
21	075	9	7	CLR	30.15	24	24						
22	095	12	7	CLR	30.14	25	25						
23	095	8	7	CLR	30.14	24	24						
24	090	10	7	CLR	30.16	24	23						

POSITION	ZONE	TIME
0600		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

ØØ-Ø4 Moored port side to USS KEPPLER (DDE 765) in berth 222 at Pier #2 U.S. Naval Base, Newport, R.I. in a nest of two ships. Ships outboard from the pier: KEPPLER and ABBOT. This ship receiving all services from the pier, using standard destroyer mooring lines doubled with storm lines fore and aft. Condition of readiness IV and material condition Yoke are set. SOPA is ComDesLant aboard USS Yosemite (AD 19) Ships present include units of US atlantic fleet and local service craft.

P.T. Finch
Ens USN

Ø4-Ø8 Moored as before. Ø745 Mustered the crew on station. No unauthorized absentees.

P.T. Finch
Ens USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SUNDAY (Day) 11 (Date) FEBRUARY (Month) 1962

Ø8-12 Moored as before. ØØØ made daily inspection of magazines and smokeless powder samples. All conditions normal.

P.L. Finch
Ens USN

12-16 Moored as before.

P.L. Finch
Ens USN

16-2Ø Moored as before.

P.L. Finch
Ens USN

2Ø-24 Moored as before

P.L. Finch
Ens USN

APPROVED:

A. W. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE MONDAY (Day) 12 (Date) FEBRUARY (Month), 19 62

AT/~~PASSAGE FROM~~ PIER #2, BERTH 222 ~~TO~~ U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	350	15	4	CLR	30.16	22	21						
02	353	11	4	CLR	30.15	22	21						
03	358	11	4	CLR	30.14	21	20						
04	340	10	4	CLR	30.10	20	20						
05	340	8	4	CLR	30.10	21	20						
06	310	10	8	CLR	30.11	21	20						
07	320	10	8	CLR	30.11	23	22						
08	340	4	8	CLR	30.16	24	23						
09	320	4	8	CLR	30.14	24	23						
10	315	4	8	CLR	30.14	24	23						
11	310	4	8	CLR	30.14	25	23						
12	300	4	8	CLR	30.10	28	27						
13	290	3	8	CLR	30.09	29	28						
14	260	3	8	CLR	30.09	30	29						
15	270	2	8	CLR	30.06	35	33						
16	280	2	8	CLR	30.06	45	44						
17	300	2	8	CLR	30.07	40	29						
18	310	4	8	CLR	30.07	39	38						
19	310	3	8	CLR	30.09	36	34						
20	285	3	5	CLR	30.09	34	33						
21	285	10	5	CLR	30.09	33	32						
22	300	6	5	CLR	30.10	32	31						
23	320	10	5	CLR	30.10	31	30						
24	325	9	5	CLR	30.10	30	29						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

ØØ-Ø4 Moored port side to USS KEPPLER (DDE 765) in berth 222 at Pier #2 U.S. Naval Base, Newport, R.I. in a nest of two ships. Ships outboard from the pier: KEPPLER and ABBOT. This ship receiving all services from the pier, using standard destroyer mooring lines doubled with storm lines fore and aft. Condition of readiness V and material condition Yoke are set. SOPA is ComDesLant aboard USS Yosemite (AD 19). Ships present include units of US Atlantic Fleet and local service craft.

R J Finch
Ens USN

Ø4-Ø8 Moored as before. Ø745 Mustered the crew at Quarters. No unauthorized absentees.

R. J. Finch
Ens USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) MONDAY (Day) 12 (Date) FEB. (Month) 19 62

0800-1200 Moored as before. 1000 made daily inspection of magazines and sumbelens powder samples.

John M. Kelleher
Ens. USNR

1200-1600 Moored as before.

John M. Kelleher
Ens. USNR

1600-2000 Moored as before.

John M. Kelleher
Ens. USNR

2000-2400 Moored as before.

John M. Kelleher
Ens. USNR

APPROVED:

A. W. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

[signature] LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE TUESDAY (Day) 13 (Date) FEBRUARY (Month) 19 62

AT/~~PASSAGE FROM~~ PIER #2 BERTH 222 TO US NAVAL BASE NEWPORT RI

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	240	13	4	CLR	3020	28	27						
02	240	6	4	CLR	3018	27	26						
03	270	10	4	CLR	3016	25	24						
04	270	8	4	CLR	3017	25	24						
05	270	9	4	CLR	3019	23	22						
06	250	9	5	CLR	3019	20	19						
07	300	9	6	CLR	3020	20	20						
08	290	6	8	CLR	3020	25	24						
09	280	11	8	CLR	3020	28	27						
10	270	7	8	CLR	3019	30	29						
11	260	2	8	CLR	3020	25	25						
12	250	4	8	CLR	3019	26	26						
13	250	2	8	CLR	3019	36	35						
14	255	2	8	CLR	3018	43	42						
15	245	2	8	CLR	3017	36	35						
16	190	3	8	CLR	3018	31	30						
17	190	5	8	CLR	3019	30	29						
18	200	5	8	CLR	3019	30	29						
19	210	5	8	CLR	3019	30	29						
20	240	3	8	CLR	3020	31	30						
21	200	3	8	CLR	3020	31	30						
22	200	3	8	CLR	3020	32	31						
23	200	3	8	CLR	3018	32	31						
24	200	3	8	CLR	3015	37	31						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

0800 - 04 Moored port side to Pier 2 Berth 222 U.S. Naval Base, Newport, R.I. in need of tugs (2) ships: USS KEPPER (DD 765), USS ABBOT (DD 629) outboard from the pier in that order with standard destroyer mooring lines doubled and 8" storm lines to the pier fore and aft. This ship receiving all services and power from the pier. Condition of Readiness V and Material Condition Yoke (unclassified) one set. SOPA is Commanding Officer USS ARCADIA (AD 23) ships present include services units U.S. Atlantic Fleet and local service craft.

John M. Kelleher
Ens. USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. No unauthorized absentees.

John M. Kelleher
Ens. USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) TUESDAY (Day) 13 (Date) FEBRUARY (Month), 19 62

08-12 Moored as before. 1000 Made daily inspection of magazines and ammunitions powder samples. Conditions normal.

PB Ellis
Ens. USNR

12-16 Moored as before.

PB Ellis
Ens. USNR

16-20. Moored as before

PB Ellis
Ens. USNR

20-24 Moored as before

PB Ellis
Ens. USNR.

APPROVED:

A. W. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION T5R DATE WEDNESDAY (Day) 14 (Date) FEBRUARY (Month), 19 62

AT/~~PASSAGE FROM~~ PIER 2, BERTH 222 ~~TO~~ U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	140	3	4	OVC	30.05	32	30						
02	140	5	4	OVC	30.04	32	30						
03	130	5	4	OVC	30.03	32	30						
04	100	8	4	OVC	30.01	33	33						
05	115	7	4	OVC	30.00	33	32						
06	115	6	4	OVC	29.99	34	33						
07	120	6	4	OVC	29.98	34	33						
08	120	14	4	OVC	29.96	31	30						
09	130	12	2	SNOW	29.95	33	31						
10	110	16	2	SNOW	29.95	33	32						
11	115	15	2	SNOW	29.95	33	31						
12	115	17	2	SNOW	29.96	33	31						
13	110	18	2	SNOW	29.96	32	31						
14	110	18	2	SNOW	29.96	33	31						
15	105	16	2	SNOW	29.95	33	31						
16	090	17	2	SNOW	29.93	32	30						
17	070	20	2	SNOW	29.94	30	29						
18	050	20	2	SNOW	29.92	29	28						
19	030	22	2	SNOW	29.90	29	28						
20	020	22	2	SNOW	29.87	28	27						
21	030	22	2	SNOW	29.85	29	29						
22	040	21	2	SNOW	29.83	28	28						
23	045	21	2	SNOW	29.81	28	28						
24	060	18	2	SNOW	29.78	28	27						

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to USS KEPPLER (DDE-765) in a nest of two ships at berth 222 at pier 2, US Naval Base, Newport, R.I., with standard lines doubled & storm lines fwd and aft. The ship is receiving all services from the pier. Condition of Readiness V and Modified Condition Yoke are set. SOPA is Comdesbant in USS YOSEMITE (AD-19). Other ships present include various units of the U.S. Atlantic fleet and local service craft.

PB Ellis
Ens. USNR.

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: Bruce, R. J., 479 70 56, SN, USN, AWOL since 0730, 14 FEBRUARY 1962

PB Ellis
Ens. USNR.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) WEDNESDAY (Day) 14 (Date) FEBRUARY (Month) 19 62

08-12 Moored as before. 1022 BRUCE, RJ. 4797056, SN, USN returned to the ship having been UA since 0730 this date, a period of 2 hours and 52 minutes. 1025 Made daily inspection of magazines and smokeless powder samples, conditions reported normal.

Donald P. Grinnell
ENS., USN

12-16 Moored as before.

Donald P. Grinnell
ENS., USN

16-20 Moored as before.

Donald P. Grinnell
ENS., USN

20-24 Moored as before.

Donald P. Grinnell
ENS., USN

APPROVED:

A. W. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5(R) DATE THURSDAY (Day) 15 (Date) FEBRUARY (Month), 19 62

AT/~~PASSAGE FROM~~ PIER 2 BERTH 222 ~~TO~~ U.S. NAVAL BASE NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	030	13	2	SNOW	29.52	31	30						
02	030	15	2	SNOW	29.54	32	31						
03	030	17	2	SNOW	29.56	32	31						
04	040	20	2	SNOW	29.58	32	31						
05	020	15	2	SNOW	29.60	35	33						
06	000	15	2	SNOW	29.63	35	33						
07	350	18	2	SNOW	29.65	35	33						
08	330	20	2	SNOW	29.67	34	32						
09	310	23	2	SNOW	29.69	32	31						
10	300	25	2	SNOW	29.71	30	30						
11	300	19	2	SNOW	29.70	28	27						
12	300	20	2	SNOW	29.72	25	25						
13	310	24	2	SNOW	29.74	25	24						
14	315	20	2	SNOW	29.76	27	27						
15	310	15	4	OVC	29.78	28	28						
16	330	10	4	OVC	29.80	27	27						
17	320	8	4	OVC	29.81	26	26						
18	305	5	4	OVC	29.83	26	26						
19	309	5	4	OVC	29.85	28	27						
20	310	5	4	OVC	29.87	31	30						
21	310	5	4	OVC	29.89	33	33						
22	310	5	4	OVC	29.91	32	31						
23	310	5	4	OVC	29.93	32	32						
24	308	4	4	OVC	29.94	32	32						

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to USS KEPPLER (DD765) with standard destroyer mooring lines doubled and storm lines out fore and aft to the pier. In berth #222, pier #2 US Naval Base, Newport R.I. The plant is cold receiving all service from the pier. Condition of readiness II and material condition YOKE (modified) are set. SOPA is Commodore Aboard USS YOSEMITE (AD19). Ships present include various units of the US Atlantic Fleet and local service craft.

Donald R. Grinnell
ENS. USN.

04-08 Moored as before. 0745 Mustered the crew on station, unauthorized absentees: NONE. 0750 Lighted fires under number 2 boiler.

Donald R. Grinnell
ENS, USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) THURSDAY (Day) 15 (Date) FEB (Month) 1962

0800-1200 Moored as before. 0830 Secured fires on No. 2 boiler. 1000 Made daily inspection of magazines and smokeless powder samples. All conditions normal.

P.F. Finch
Ens USN

1200-1600 Moored as before. 1425 Commenced receiving fuel to starboard from YO 205. 1547 Secured from receiving fuel, having received 25,872 gals. 1520 Summary Court Martial, LTJG R.C. Coburn USNR met to try the case of J.F. BEARDSLEY, 543 58 07 SN. P.F. Finch
1550 Summary Court Martial adjourned to await the action of the convening authority Ens USN

1600-2000 Moored as before. 1630 1605 Published the findings and sentence in the case of JF BEARDSLEY, 5435507, SN, USN tried by Summary Court Martial for resisting arrest. P.F. Finch
Finding: guilty; sentence: restriction to limits of USS ABBOT (DD629) for 30 days, and loss Ens USN
of $50.00 pay for one (1) month. Approved by convening authority.

2000-2400 Moored as before.

P.F. Finch
Ens USN

APPROVED:

A. H. Craig, CDR. U. S. N. COMMANDING

EXAMINED:

R Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 R DATE FRIDAY (Day) 16 (Date) FEBUARY (Month), 1962

AT/~~PASSAGE FROM~~ BERTH 221, PIER 2 ~~TO~~ U.S. NAVAL BASE, NEW PORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	295	5	6	OVC	30.10	34	33						
02	310	7	6	OVC	30.09	34	33						
03	330	6	6	OVC	30.08	34	33						
04	345	6	6	OVC	30.06	35	34						
05	010	3	6	OVC	30.04	33	32						
06	010	5	6	OVC	30.04	31	30						
07	020	5	8	CLR	30.04	30	29						
08	025	5	8	CLR	30.06	29	27						
09	042	9	8	CLR	30.08	26	25						
10	030	6	8	CLR	30.06	27	27						
11	010	4	8	CLR	30.06	30	29						
12	030	2	8	CLR	30.03	33	32						
13	035	4	8	CLR	30.01	35	34						
14	035	5	8	CLR	30.01	34	33						
15	040	2	8	CLR	30.00	37	36						
16	080	8	8	CLR	30.01	37	36						
17	085	8	8	CLR	30.01	37	36						
18	090	6	8	CLR	29.99	34	33						
19	095	5	5	SNOW	29.96	32	31						
20	095	5	5	SNOW	29.94	31	31						
21	095	3	5	SNOW	29.94	30	30						
22	100	3	5	SNOW	29.92	30	30						
23	100	3	5	SNOW	29.90	30	30						
24	110	8	5	SNOW	29.88	30	30						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to USS Keppler (DDE 765) with standard destroyer mooring lines doubled and stern lines fore and aft in berth 222, Pier 2, US Naval Base Newport, R I. The plant is cold, receiving all services from the pier. Condition of readiness V and material condition YOKE modified are set. SOPA is ComDesLant aboard USS Yosemite (AD 19). Ships present include various units of US Atlantic Fleet and local service craft.

P. L. Finch
Ens USN

04-08 Moored as before. 0745 Mustered the crew at Quarters. No unauthorized absentees.

P. L. Finch
Ens USN

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) FRIDAY (Day) 16 (Date) FEB (Month), 19 62

08-12 Moored as before. 0917 Made daily inspection of magazines and smokeless powder samples; conditions normal. Made weekly test of magazine sprinkling and flooding system; conditions satisfactory. 1130 Lit fires under number 2 boiler.

Coburn
LTJG USNR

12-16 Moored as before. 1300 Commenced Commanding Officer's informal material inspection. 1330 Commenced taking on fresh water 1345 Completed taking on fresh water having received 4,450 gallons. 1540. Secured from Commanding Officer's inspection.

Coburn
LTJG USNR

16-20 Moored as before. 1724 Secured fires under number 2 boiler.

Coburn
LTJG USNR

20-24 Moored as before. 2150 Commenced taking on fresh water. 2214 Secured taking on water having received 5,624 gallons.

Coburn
LTJG USNR

APPROVED:

A. W. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE SATURDAY (Day) 17 (Date) FEBUARY (Month), 1962

AT/~~PASSAGE FROM~~ BERTH 2.22, PIER 2 ~~TO~~ U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	120	9	4	SNOW	29.83	30	29						
02	140	4	4	SNOW	29.81	30	29						
03	155	4	4	SNOW	29.79	28	26						
04	170	4	4	SNOW	29.78	30	28						
05	190	3	4	SNOW	29.79	32	31						
06	200	4	4	SNOW	29.80	34	32						
07	205	5	4	FOG	29.80	35	33						
08	210	5	4	FOG	29.80	34	32						
09	210	5	4	FOG	29.82	36	35						
10	215	8	4	FOG	29.82	38	37						
11	215	12	4	FOG	29.82	40	38						
12	220	15	4	FOG	29.81	40	39						
13	210	20	4	FOG	29.82	41	40						
14	220	20	4	FOG	29.82	41	41						
15	210	20	4	FOG	29.82	41	41						
16	215	18	4	FOG	29.81	41	41						
17	215	20	4	FOG	29.80	40	40						
18	210	20	4	FOG	29.82	40	39						
19	230	19	4	FOG	29.84	37	37						
20	250	17	6	CLR	29.86	35	35						
21	280	21	6	CLR	29.88	34	34						
22	288	19	6	CLR	29.88	33	33						
23	275	20	6	CLR	29.89	32	32						
24	283	23	6	CLR	29.90	31	31						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored portside to USS KEPPLER (DD765) with standard destroyer mooring lines at berth 222 U S Naval Base Newport R.I. / Material Condition Yoke and Readiness Condition V. Det. SOPA is ComDesLant in USS YOSEMITE (AD19). Ships present include units of the US atlantic Fleet plus harbor craft.

Robinson
LTJG USNR

04-08 Moored as before. 0745 Mustered the crew on stations; unauthorized absentees: none.

Robinson
LTJG USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) SATURDAY (Day) 17 (Date) FEB (Month), 19 62

08-12 Moored as before 0805 Commenced taking on fresh water 0817 Secured taking on fresh water, 1906 gals. received 0855 Lit off #3 boiler. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

PB Ellis
Ens. USNR

12-16 Moored as before.

PB Ellis
Ens. USNR.

16-20 Moored as before 1755 Commenced taking on fresh water. 1811. Secured taking on fresh water, 3612 gals. received

PB Ellis
Ens. USNR

20-24 Moored as before

PB Ellis
Ens. USNR.

APPROVED:
A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED:
Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION 75R DATE SUNDAY (Day) 18 (Date) FEBRUARY (Month), 1962

AT ~~PASSAGE FROM~~ BERTH 221, PIER 2 ~~TO~~ U.S. NAVAL BASE, NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	270	16	6	CLR	30.13	30	29						
02	265	16	6	CLR	30.13	29	28						
03	270	19	6	CLR	30.14	28	28						
04	250	16	6	CLR	30.14	28	27						
05	230	16	6	CLR	30.14	28	27						
06	250	15	6	CLR	30.14	28	26						
07	280	12	6	CLR	30.14	28	26						
08	310	10	6	CLR	30.16	26	25						
09	340	8	8	CLR	30.18	28	27						
10	330	5	8	CLR	30.19	31	30						
11	310	5	8	CLR	30.21	33	32						
12	310	3	8	CLR	30.21	35	34						
13	320	5	8	CLR	30.22	35	34						
14	310	4	8	CLR	30.22	35	35						
15	300	4	8	CLR	30.21	34	34						
16	280	4	8	CLR	30.21	34	34						
17	270	4	8	CLR	30.21	34	33						
18	280	4	8	CLR	30.21	33	33						
19	285	4	8	CLR	30.23	33	33						
20	290	5	6	CLR	30.24	33	32						
21	305	7	6	CLR	30.26	34	33						
22	315	8	6	CLR	30.28	32	32						
23	330	10	6	CLR	30.30	32	32						
24	350	12	6	CLR	30.31	31	30						

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to USS KEPPLER (DDE 765) in a nest of two ships, in berth 222, pier 2 US Naval Base, Newport, R.I., using standard mooring lines doubled and 8" storm lines out fore and aft. Condition of readiness V and Material Condition Yoke are set. The ship's plant is cold; receiving all services from the pier. SOPA is Comdesdiv embarked in USS YOSEMITE (AD-19). Other ships present include various units of the US Atlantic fleet, and local service craft.

PB Ellis
Ens. USNR

04-08 Moored as before. 0745 Commenced taking on fresh water. 0756 Secured taking on fresh water, 4494 gals. received

PB Ellis
Ens. USNR.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD-629) SUNDAY (Day) 18 (Date) FEB (Month), 19 62

08-12 Moored as before. 0800 Mustered the crew on station. No unauthorized absentees. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

RB Ellis
Ens. USNR.

12-16 Moored as before 1354 Commenced taking on fresh water. 1408 Secured taking on fresh water, 5914 gals. received. 1410 Lt off #2 boiler 1426 Shifted to ship's steam 1540 Shifted from shore power to ship power.

RB Ellis
Ens. USNR.

16-20 Moored as before.

RB Ellis
Ens. USNR.

20-24 Moored as before

RB Ellis
Ens. USNR.

APPROVED: A. H. Craig, CDR., U. S. N. COMMANDING

EXAMINED: Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION T5R DATE MONDAY (Day) 19 (Date) FEBUARY (Month), 1962

AT/PASSAGE FROM BERTH 221, U.S. NAVAL BASE, NEWPORT, RI TO NARRA BAY OP. - AREA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	020	10	8	CLR	30.33	27	26						
02	010	10	8	CLR	30.32	26	25						
03	020	12	8	CLR	30.32	25	25						
04	040	10	8	CLR	30.30	25	25						
05	050	10	8	CLR	30.28	24	24						
06	070	10	8	CLR	30.26	24	24						
07	090	10	8	CLR	30.24	26	25						
08	090	13	8	CLR	30.22	28	27						
09	100	15	6	OVC	30.20	30	29						
10	109	18	6	OVC	30.19	31	30						
11	124	19	6	OVC	30.17	29	29						
12	140	20	6	OVC	30.17	33	32						
13	130	25	6	OVC	30.16	35	33						
14	115	28	6	OVC	30.14	37	37						
15	120	25	6	OVC	30.12	40	38						
16	100	20	6	OVC	30.11	42	41						
17	080	19	5	OVC	30.10	41	41						
18	050	10	5	OVC	30.08	39	38						
19	030	8	5	OVC	30.05	37	37						
20	015	10	5	OVC	30.04	38	37						
21	350	13	4	OVC	30.02	37	37						
22	350	16	4	OVC	30.00	37	37						
23	002	13	4	OVC	29.58	36	35						
24	005	15	4	OVC	29.96	36	35						
			6										

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored as before port side to USS KEPPLER (DDE 765) in a nest of two ships# at berth 222, pier 2, U.S. Naval Base, Newport, R.I., using Standard lines doubled with storm lines out fore and aft. #2 Boiler and #1 generator are on the line. Receiving fresh water and telephone service from the pier. Condition of Readiness V and National Condition Yoke are set. SOPA is COMDESLANT on USS YOSEMITE (AD-19). Other ships present include various units of the US Atlantic Fleet and local service craft.

P B Ellis
Ens. USNR.

04-08 Moored as before. 0550 lit off #3 boiler 0638 Commenced taking on fresh water. 0703 Secured taking on fresh water 1664 gals. received 0735 Draft forward 13'7" draft aft. 12'7". 0745 Mustered the crew on stations. No unauthorized absentees.

P B Ellis
Ens. USNR.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) MONDAY (Day) 19 (Date) FEBRUARY (Month), 19 62

08-12 Moored as before. 0801 Stationed the Special Sea detail. 0810 Commanding Officer U.S. Naval Destroyer School arrived on board. 0829 Underway in accordance with Com Nav Sta Ltr op-ord 8-62. Maneuvering at various courses and speeds to clear the Destroyer piers and conform to the East Passage Channel. The Captain and Navigator are on the bridge. 0846 Passed Lee Island Light abeam to port, 300 yds. 0850 Passed Bull Point Cupola abeam to starboard 350 yds. 0855 Passed Castle Hill Light abeam to port 350 yds. 0905 Passed Brenton Reef Lightship abeam to starboard 250 yds. 0909 Secured the special sea detail. Steaming on course 160°T speed 15 kts. 0920 Set Material Condition YOKE through out the ship. 0930 Made daily inspection of magazines and smokeless powder samples. Conditions reported normal. 1000 Exercised the crew at General Quarters. 1005 Set material condition ZEBRA through out the ship 1010 C/C to 150°T C/S to 10 kts. 1101 Set material condition YOKE through out the ship. 1102 Secured from General Quarters.

B. F. Bremer
Lt(jg) USN

12-16 Steaming as before. 1302 C/C to 270. 1335 C/C to 280. 1420 C/C to 090.

George T. Semmon
Ltjg. USN

16-18 Steaming as before. 1623 C/C 100. 1645 C/C 280. 1653 C/C 290. 1704 C/C 300. 1726 Observed sunset; all navigational lights burning brightly.

Coburn
LT(jg) USNR

18-20 Steaming as before. 1850 C/C 130.

B. F. Bremer
Lt(jg) USN

20-24 Steaming as before. 2003 C/C to 180°T 2020 C/C to 130°T 2102 C/C to 310°T 2145 C/C to 320°T 2233 C/C to 130°T.

Laymon A. K. Saylor
Lt(jg) USN

APPROVED: A. N. Craig, CDR U.S. N. COMMANDING

EXAMINED: Coburn LT(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT DD 629 ZONE DESCRIPTION +5(R) DATE TUESDAY (Day) 20 (Date) FEBRUARY (Month), 19 62

AT/PASSAGE FROM NARRA BAY OP AREAS TO NEWPORT, RHODE ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	310	13	8	CLR	29.72	33	32						
02	320	12	8	CLR	29.73	33	32						
03	325	17	6	OVC	29.74	33	32						
04	330	15	6	OVC	29.74	34	33						
05	340	13	6	OVC	29.74	33	32						
06	330	9	6	OVC	29.74	32	32						
07	350	11	6	OVC	29.76	33	32						
08	320	16	6	OVC	29.78	35	34						
09	325	18	6	OVC	29.79	34	34						
10	330	20	6	OVC	29.81	35	34						
11	325	23	6	OVC	29.83	34	33						
12	325	27	6	OVC	29.84	33	32						
13	325	26	6	OVC	29.84	36	34						
14	315	27	6	BKN	29.84	36	34						
15	305	29	6	BKN	29.86	37	36						
16	300	28	8	CLR	29.88	37	37						
17	288	24	8	CLR	29.90	35	35						
18	280	22	8	CLR	29.93	34	33						
19	289	19	8	CLR	29.96	30	30						
20	295	20	8	CLR	29.98	29	29						
21	298	19	8	CLR	30.00	29	29						
22	297	19	8	CLR	30.01	28	28						
23	290	19	8	CLR	30.02	28	28						
24	270	16	8	CLR	30.04	28	28						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Steaming Independently in Narra Bay Op. Area 17, in accordance with ComNavBaseNpt (Supp Admin Narrabay) Weekly Op. Sked, Base Course 310° T, Speed 10 kts. Condition of Readiness IV and material condition YOKE Aft set. Boilers 2 and 3, Generators 1 and 2 are on the line, with the Fleet Split. C.O. NAVDESGRUP 02 is embarked. 0130 C/C to 130° T, 0300 C/C to 310° T, 0307 C/C to 315° T.

C. F. Egan
Ens. USNR.

04-08 Steaming as before. 0432 C/C to 130° T. 0535 C/C to 150° T 0735 C/C to 150° T C/S to 15 kts. 0755 Set Condition IAS Modified, Blue Team.

B. F. Bleu
Lt, USN

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) TUESDAY (Day) 20 (Date) FEBRUARY (Month) 19 62

08-12 Steaming as before. 0802 Gained sonar contact bearing 174 range 2450 yds. Commenced maneuvering on various courses and speeds while conducting ASW exercise with the USS Seawolf (SSN 576). 1000 Commenced Z-38-H competitive exercise. 1100 Completed Dairys inspection of magazine and sonobuoy powder samples. Conditions normal. 1147 Completed Z-38-H exercise.

George T. Semmens
Lt.j.g. USN

12-16 Steaming as before conducting ASW exercises. 1215 secured from Condition 1AS modified. 1217 C/S 25 knots C/C 335 1315 C/C 352 1329 C/S 20 knots 1330 Exercised the crew at General Quaters; set Condition Zebra. This ship proceeding to station to fire main battery and conduct a Z-21-G, gunnery exercise. 1449 completed Z-21-G, gunnery exercise, commenced Z-23-G, gunnery exercise 1516 Hauled down bravo flag, completed exercises having expended sixty four (64) rounds of AA common projectiles. 1527 Set Condition Yoke 1528 secured from General Quaters 1529 C/C 330 1542 C/S 25 knots.

Raynor A. K. Saylor
Lt j g, USN.

16-18 Steaming as before. 1624 C/C 345. 1626 C/C 347 1636 C/C 351 1657 C/S 22 kts. 1658 C/C 346 1715 C/C 355 1717 Stationed the special sea and anchor detail OOD at the Conn, Captain and navigator on the Bridge. Maneuvering on various courses and speeds while entering port. 1748 Moored portside to pier 2 berth 22 U S Naval Base Newport RI. with standard destroyer Mooring lines doubled. SOPA is ComDesLant in USS YOSEMITE (AD19) 1759 Secured the special sea and anchor detail

W Bourn LTJG USNR

18-20 Moored as before. 1805 Commanding Officer US Naval Destroyer School left the ship. 1825 Commenced taking on fresh water. 1838 Secured from taking on fresh water having obtained 4495 gallons. 1853 USS KEPPLER (DD(765) came alongside to starboard and joined the nest.

Donald R. Grinnell
ENS. USN

20-24 Moored as before.

Donald R. Grinnell
ENS. USN

APPROVED: A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED: W Bourn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD629) ZONE DESCRIPTION +5 (R) DATE WEDNESDAY (Day) 21 (Date) FEBRUARY (Month), 19 62

AT/~~PASSAGE FROM~~ ~~NEWPORT~~ US NAVAL BASE NEWPORT ~~TO~~ RI. AND NARRABAY OP AREAS DPG

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	270	16	8	CLR	30.10	28	28						
02	250	16	8	CLR	30.12	27	29						
03	225	16	8	CLR	30.13	28	27						
04	200	10	8	CLR	30.15	28	27						
05	230	10	8	CLR	30.18	28	27						
06	250	8	8	CLR	30.20	26	26						
07	280	12	8	CLR	30.21	25	25						
08	270	12	8	CLR	30.23	25	25						
09	250	15	8	CLR	30.24	27	27						
10	265	8	8	CLR	30.24	30	29						
11	283	7	8	CLR	30.24	32	31						
12	290	11	8	CLR	30.24	33	32						
13	290	11	8	CLR	30.24	31	30						
14	288	11	6	CLR	30.24	29	29						
15	276	11	6	CLR	30.22	32	31						
16	290	11	6	CLR	30.20	33	33						
17	270	6	6	CLR	30.20	31	30						
18	250	6	6	CLR	30.20	31	30						
19	220	6	6	CLR	30.18	30	30						
20	200	3	6	CLR	30.17	31	30						
21	230	3	6	OVC	30.16	30	30						
22	250	3	5	OVC	30.14	30	30						
23	280	4	5	OVC	30.14	29	29						
24	270	10	5	OVC	30.12	31	31						

POSITION	ZONE	TIME
0600		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 Moored port side to pier 2 berth 22 US Naval Base Newport RI in a nest of two ships outboard from the pier ABBOT AND USS KEPPLER (DD 765), with standard destroyer mooring lines doubled and storm lines out fore and aft to the pier. Number 3 boiler and number 2 generator are on the line for auxiliary purposes. Material condition YOKE (modified) and condition of readiness III are set. SOPA is ComDesLant aboard USS YOSEMITE (AD 19). Ships present include various units of the US Atlantic Fleet and local service craft.

Donald P. Grinnell
ENS. USN.

04-08 Moored as before. 0505 Commenced taking on fresh water. 0525 Secured from taking on fresh water having received 5,084 gal. 0600 Lighted fires under #1 boiler. 0635 USS KEPPLER (DD 765) got underway and left the nest. 0730 Made all preparations for getting underway. Draft, forward: 13 ft 6 in, aft: 13 ft 5 in. 0745 Master of the watch on station. Quarterdeck absentees: NONE.

Donald P. Grinnell
ENS., USN.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) WEDNESDAY (Day) 21 (Date) FEB (Month), 19 62

08-12 Moored as before 0801 set the special sea detail 0820 Completed preparations for getting underway. Captain and Navigator on the bridge 0826 Underway in accordance with Nav. Sta. Dept Op Order 8-62 maneuvering as necessary to clear piers and enter channel 0846 passed Lone Island Light abeam to port. 0850 passed Bull Point Cupola abeam to stbd. 0855 passed Castle Hill Light abeam to ~~stbd~~ port 0903 passed Brenton Reef Lightship abeam to stbd 0908 secured the special sea detail 0950 made daily inspection of all magazines and smokeless powder samples, conditions normal 1002 C/C 187 C/S 15 knots 1003 Gyro casualty, steering with magnetic compass, 200°. 1014 Gyro restored steering C187.

Raymond A. K. Taylor
Ltjg USN.

12-16 Steaming as before. 1203 went to General Quarters for Gunnery Exercises Z 236 and Z 216. 1207 Set Condition Zebra, hoisted Baker at the dip. Commenced maneuvering on various courses and speeds while conducting Gunnery Exercises 1312 Closed up Baker and Commenced firing. 1400 Ceased firing Gunnery Exercises having ~~expended~~ 96 rounds of 5"/38 BLIP Projectiles with full service charges of Smokeless powder. No Casualties. Set Course 000° T Speed 15 knots for Newport. 1402 Set Condition Yoke. 1405 Secured from General Quarters. 1418 C/S to 20 kts 1520 C/C to 351° T. 1532 C/C to 015° T. 1540 C/C to 010° T. 1545 C/C to 350° T.

C. J. Eggert
Ens. USNR.

16-20 Steaming as before. 1605 Set the special sea and anchor detail. Maneuvering on various courses and speeds while entering port. 1637. Moored at berth 22A, pier 2, US Naval Base, Newport, R.I. with standard mooring lines doubled. 1645 Secured the special sea and anchor detail.

PB Ellis
Ens. USNR

20-24. Moored as before. 2045 Took on 8149 gals. of fresh water.

PB Ellis
Ens. USNR

APPROVED: A. W. Craig, CDR, U. S. N. COMMANDING

EXAMINED: Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD-629) ZONE DESCRIPTION +5 (R) DATE THURSDAY (Day) 22 (Date) FEB (Month), 19 62

AT/~~PASSAGE~~ FROM US Naval Base, Newport, R.I. TO Berth 221 Pier 2

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	140	10	4	SNOW	29.98	30	30						
02	125	10	4	SNOW	29.96	32	32						
03	110	8	4	SNOW	29.94	34	34						
04	100	10	4	SNOW	29.92	36	35						
05	120	12	4	SNOW	29.90	38	37						
06	100	15	4	SNOW	29.87	38	37						
07	100	12	4	SNOW	29.83	36	35						
08	090	12	4	SNOW	29.85	36	35						
09	070	9	4	SNOW	29.84	35	35						
10	070	9	4	SNOW	29.82	35	35						
11	050	12	4	SNOW	29.80	35	34						
12	030	8	4	SNOW	29.79	35	34						
13	015	8	3	SNOW	29.77	36	35						
14	350	8	3	SNOW	29.74	36	36						
15	340	8	3	SNOW	29.76	35	35						
16	345	7	3	SNOW	29.78	37	36						
17	345	8	3	FOG	29.80	36	35						
18	345	8	3	FOG	29.80	36	35						
19	345	8	3	FOG	29.81	35	35						
20	340	8	3	FOG	29.83	34	34						
21	345	12	3	FOG	29.86	33	32						
22	355	10	2	FOG	29.87	31	31						
23	340	6	2	FOG	29.87	30	30						
24	015	3	2	FOG	29.88	30	30						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04. Moored outside to pier #2, in berth #221, US Naval Base, Newport, R.I., in a nest of two ships, outboard from the pier, ABBOT and USS KEPPLER (DDE-765), using standard mooring lines doubled. #1 Boiler and #1 generator are on the line. Receiving fresh water and telephone service from the pier. Condition of Readiness IV and X Material Condition Yoke are set. SOPA is ComDesLant aboard USS YOSEMITE (AD-19) Other ships present include various units of the U.S. Atlantic fleet and local service craft.

PB Ellis
Ens. USNR.

04-08 Moored as before.

PB Ellis
Ens. USNR.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abbot (DD629) THURSDAY (Day) 22 (Date) Feb (Month), 19 62

08-12 Moored as before. 0800 Mustered the Crew on stations, No Unauthorized Absentees. 0915 Made daily Inspection of magazines and Smokeless Powder Samples. Conditions Normal.

C.T. Eyman
Eng. USNR

12-16 Moored as before.

C.T. Eyman
Eng. USNR.

16-20 Moored as before.

C.T. Eyman
Eng USNR.

20-24 Moored as before.

C.T. Eyman
Eng. USNR.

APPROVED:

A. H. Craig, CDR U. S. N. COMMANDING

EXAMINED:

Robinson LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abbot (DD-629) ZONE DESCRIPTION +5-R DATE Friday (Day) 23 (Date) February (Month), 19 62

BOAT/PASSAGE FROM Berth 221, U.S. Naval Base, Newport, R.I. TO Narragansett Op-Areas and Return.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	230	2	1	FOG	29.98	30	30						
02	250	2	1	FOG	29.99	31	30						
03	260	3	1	FOG	29.99	32	31						
04	245	1	1	FOG	30.00	35	34						
05	240	1	1	FOG	30.03	36	35						
06	225	1	1	FOG	30.05	35	34						
07	220	2	1	FOG	30.08	38	37						
08	190	3	1	FOG	30.12	40	39						
09	180	5	1	FOG	30.13	40	39						
10	172	3	1	FOG	30.14	41	40						
11	175	5	2	FOG	30.16	41	40						
12	165	2	2	FOG	30.16	41	40						
13	165	3	2	FOG	30.15	43	41						
14	187	5	2	FOG	30.14	43	42						
15	190	7	2	FOG	30.16	44	42						
16	185	5	2	FOG	30.16	43	42						
17	200	5	2	FOG	30.16	43	42						
18	220	3	2	FOG	30.16	42	41						
19	220	3	2	FOG	30.16	40	39						
20	200	2	2	FOG	30.16	40	39						
21	225	7	2	FOG	30.16	39	38						
22	230	9	2	FOG	30.14	40	39						
23	210	6	2	FOG	30.12	39	39						
24	215	7	2	FOG	30.12	40	39						

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to Pier 2, U.S. Naval Base, Newport, R.I., in berth 221, using standard destroyer mooring lines doubled plus stern lines forward and aft. Condition of readiness IV and material condition Yoke (modified) are set. Boiler No. 1 and generator No. 1 are on the line for auxiliary power. Ships present include units of the U.S. Atlantic Fleet and local service craft. SOPA is Commdes Lant aboard USS Yosemite (AD-19).

L. F. Eggen Jr.
En. USNR.

04-08 Moored as before. 0600 Lit fires under number 3 boiler. 0745 Mustered the crew on stations; unauthorized absentees: none.

Coburn
LTJG USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ablot (DD 629) Friday (Day) 23 (Date) February (Month), 1962

08-12 Moored as before. 0805 Stationed the Special Sea Detail. 0831 Underway in accordance with Com Dav Sta 2jt op-order 8-62. Maneuvering on various courses and speeds to clear the destroyer pier and confirm the East Passage Channel. The Captain and Navigator are on the bridge. OOD is at the Conn. 0835 Commenced sounding fog signals. 0857 Passed Rose Island abeam to port 350 yds. 0903 Passed Bull Point Cupola abeam to stbd 400 yds. 0912 Visibility reduced to 150 yds. 0929 Passed Brenton Reef lightship abeam to stbd 350 yds. Set course 145 spd 10 kts. Secured the Special Sea Detail. 0945 Visibility increased to 3000 yds. Ceased sounding fog signals. 0948 C/C to 090. 1000 Made daily inspection of magazines and smokeless powder samples. Conditions normal. 0958 C/C to 160. 1016 Went to General Quarters. 1020 Commenced Damage Control and Engineering Casualty drills. 1021 Set Condition Zebra. 1033 Entered international waters.

George T. Seamon
Lt, j-g USN

12-16 Steaming as before. 1230 C/C 338. 1242 Completed all Engineering Casualty and Damage Control Drills set condition Able. 1250 Secured from General Quarters. Set the regular steaming watch. 1325 C/C 345 1508 C/C 328. 1522 C/S 20 kts. 1525 Stationed the Special Sea and Anchor Detail. OOD at the Conn, Captain and Navigator on the Bridge. 1530 Brenton Reef Light ship abeam to port 500 yards C/C 000. 1535 LTJG B. F. BREMER, USN assumed the Conn. maneuvering on various courses and speeds while negotiating the channel. 1559 Moored portside to USS INGRAHAM (DD 694) at berth 222 US Naval Base Newport RI with standard destroyer mooring lines doubled. SOPA is ComDesLant aboard USS YOSEMITE (AD19).

Coburn
LTJG USNR

~~16-20~~
16-20 Moored as before. 1655 Shifted to electric power from the pier.

P. F. Finch
Ens USN

20-24 Moored as before.

P. F. Finch
Ens USN

APPROVED: A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED: Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abbot (DD 629) ZONE DESCRIPTION +5 R DATE SATURDAY (Day) 24 (Date) FEBRUARY (Month) 19 62

AT/~~PASSAGE FROM~~ Berth 222, Pier 2 ~~TO~~ US Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	010	6	4	RAIN	30.04	40	40						
02	015	10	4	RAIN	30.02	40	39						
03	005	16	4	RAIN	29.99	39	38						
04	355	15	4	RAIN	29.97	39	38						
05	350	15	4	RAIN	29.95	39	38						
06	335	15	4	RAIN	29.93	38	37						
07	330	15	5	RAIN	29.91	38	37						
08	320	8	5	RAIN	29.90	36	35						
09	310	10	5	SNOW	29.88	37	36						
10	320	9	5	SNOW	29.86	37	37						
11	310	12	5	SNOW	29.84	37	37						
12	315	9	5	SNOW	29.81	37	37						
13	320	9	5	RAIN	29.79	37	36						
14	310	14	5	RAIN	29.77	36	35						
15	300	16	5	RAIN	29.78	35	34						
16	275	18	5	RAIN	29.80	30	30						
17	280	25	5	OVC	29.80	30	30						
18	300	25	5	OVC	29.80	30	30						
19	330	20	4	OVC	29.81	28	27						
20	310	15	4	OVC	29.80	27	27						
21	300	10	4	OVC	29.79	26	26						
22	300	20	4	OVC	29.79	23	23						
23	290	19	4	OVC	29.79	20	20						
24	280	18	4	OVC	29.78	20	20						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored portside to USS Ingraham (DD 694) in berth 222 at Pier #2, US Naval Base, Newport, R.I. This ship using standard destroyer mooring lines doubled with storm lines fore and aft. Receiving all services from the pier. Condition of readiness V and material condition YOKE (modified) are set. SOPA is ComDesFlt aboard USS Yosemite (AD 19). Ships present include various units of US Atlantic Fleet and local service craft.

P.T. Finch
Ens USN

04-08 Moored as before. 0745 mustered the crew at Quarters. No unauthorized absentees.

P.T. Finch
Ens USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) SATURDAY (Day) 24 (Date) FEBRUARY (Month), 19 62

08-12 Moored as before. 0847 Lighted fires under #1 boiler. 1000 Made daily inspection of magazines and Smokeless powder samples. Conditions reported normal.

Donald P. Grinnell
ENS. USN.

12-16 Moored as before.

Donald P. Grinnell
ENS., USN.

16-20 Moored as before.

Donald P. Grinnell
ENS., USN.

20-24 Moored as before.

Donald P. Grinnell
ENS., USN.

APPROVED:

A. W. Craig, CDR U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 (R) DATE SUNDAY (Day) 25 (Date) FEBRUARY (Month), 1962

AT/~~PASSAGE FROM~~ PIER 2 BERTH 222 ~~TO~~ US NAVAL BASE NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	295	18	6	OVC	29.78	21	20						
02	320	20	6	OVC	29.79	20	20						
03	350	16	6	OVC	29.80	20	20						
04	005	10	6	OVC	29.78	23	22						
05	010	8	6	OVC	29.80	26	25						
06	020	12	6	OVC	29.82	26	25						
07	035	10	8	CLR	29.84	25	25						
08	040	11	8	CLR	29.86	25	25						
09	050	9	8	CLR	29.88	26	25						
10	065	7	8	CLR	29.89	28	27						
11	070	3	8	CLR	29.91	31	30						
12	090	3	8	CLR	29.90	36	35						
13	100	2	8	CLR	29.92	38	37						
14	120	3	8	CLR	29.94	40	39						
15	110	2	8	CLR	29.95	42	41						
16	090	3	8	CLR	29.96	44	43						
17	070	2	8	CLR	29.98	41	40						
18	080	3	8	CLR	30.01	38	37						
19	090	3	8	CLR	30.02	36	35						
20	110	2	8	CLR	30.04	35	35						
21	130	3	8	CLR	30.05	35	35						
22	135	4	8	CLR	30.05	34	34						
23	140	2	8	CLR	30.07	33	33						
24	150	2	8	CLR	30.09	33	33						

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to USS INGRAHAM (DD 694) with standard destroyer mooring lines doubled, and storm lines out fore and aft to the pier, in berth 222 pier 2 US Naval Base Newport R.I. The plant is cold, receiving all services from the pier. Condition of readiness V and material condition YOKE (modified) are set. 30BA is Conn Det Cent aboard USS YOSEMITE (AD 19) Ships present include various units of the US Atlantic Fleet and local service craft.

Donald P. Grinnell
ENS. USN.

04-08 Moored as before. 0745 Mustered the crew on station: Unauthorized absentees: none

Donald P. Grinnell
ENS., USN.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD629) SUNDAY (Day) 25 (Date) FEBRUARY (Month), 19 62

08-12 Moored as before. Made daily inspection of magazines and smokeless powder samples. Conditions reported normal.

Donald P. Grinnell
ENS, USN.

12-16 Moored as before. 1353 USS HUGH PURVIS (DD 709) came alongside to starboard and joined the nest.

Donald P. Grinnell
ENS, USN.

16-20 Moored as before.

Donald P. Grinnell
ENS, USN.

20-24 Moored as before.

Donald P. Grinnell
ENS, USN.

APPROVED:

A. W. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 (R) DATE MONDAY (Day) 26 (Date) FEBRUARY (Month), 19 62

AT/~~PASSAGE~~ FROM PIER #2 BERTH #222 ~~TO~~ US NAVAL BASE NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	100	3	6	CLR	30.14	32	32						
02	080	4	6	CLR	30.15	30	30						
03	070	9	6	CLR	30.14	30	30						
04	065	10	6	CLR	30.16	30	30						
05	050	10	6	CLR	30.17	31	31						
06	040	10	6	CLR	30.19	31	31						
07	035	7	6	CLR	30.19	32	32						
08	035	10	6	CLR	30.18	32	32						
09	030	10	6	OVC	30.16	33	32						
10	040	12	6	OVC	30.14	33	32						
11	040	14	6	OVC	30.14	34	33						
12	045	14	6	OVC	30.14	35	34						
13	040	10	6	OVC	30.12	37	36						
14	035	8	5	RAIN	30.12	38	38						
15	050	11	5	RAIN	30.10	38	38						
16	080	10	5	RAIN	30.08	40	39						
17	100	12	4	RAIN	30.06	41	40						
18	120	7	4	RAIN	30.04	40	39						
19	140	7	4	RAIN	30.03	42	42						
20	160	5	4	RAIN	30.03	45	44						
21	140	10	4	RAIN	30.03	47	46						
22	100	10	4	RAIN	30.03	44	43						
23	130	10	4	RAIN	30.02	43	42						
24	140	13	4	RAIN	30.01	40	39						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 moored port side to USS INGERSOLL (DD 694) with 5 standard destroyer mooring lines doubled and 5 storm lines out fore and aft to the pier in berth #222 pier #2 US Naval Base Newport R.I. in a nest of three ships, in order from the pier INGERSOLL ABBOT and USS HUGH PURVIS (DD 709). The plant is cold receiving all services from the pier. Condition of readiness II and Material Condition YOKE (MODIFIED) are set. SOPA is Commodore Unit aboard USS YOSEMITE (AD 19). Ships present include various units of the US Atlantic Fleet and local service craft.

Donald P. Grinnell
ENS, USN.

04-08 moored as before. 0530 Lighted fires under number 3 boiler. 0709 Lighted off ship's service generator #2 and shifted from shore power to ships power. 0745 Mustered the crew at quarters. Unauthorized absentees: NONE

Donald P. Grinnell
ENS., USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ~~ABBOT~~ ABBOT (DD-629) MONDAY 26 FEBRUARY, 19 62
(Day) (Date) (Month)

08-12 Moored as before 0855 Cadow, F.B, 896,20 34, MM1, USN left the ship TAD for treatment at US Naval Hospital, Newport R.I. 0900. SOPA NARRABAY is COMFAIR, QUONSET PT. 1017 Shifted from ships power to shore power. 1150 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

PB Ellis
Ens USNR.

12-16 Moored as before 1410 SOPA NARRABAY SUBBASE is COMDESFLOT 2.

PB Ellis
Ens. USNR.

16-20 Moored as before

PB Ellis
Ens. USNR.

20-24 Moored as before

PB Ellis
Ens USNR.

APPROVED:

A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ~~ABBOT~~ (DD-629) ZONE DESCRIPTION +5 (R) DATE TUESDAY (Day) 27 (Date) FEBRUARY (Month), 19 62

AT/P~~ASSAGE FROM~~ BERTH 222, PIER 2, US NAVAL BASE, ~~TO~~ NEWPORT, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	350	17	4	FOG	30.00	39	38						
02	010	9	4	FOG	30.00	37	36						
03	005	14	4	FOG	30.01	37	36						
04	340	12	4	FOG	30.01	39	38						
05	355	13	4	FOG	30.02	38	38						
06	350	13	4	FOG	30.04	39	39						
07	345	13	4	FOG	30.06	39	39						
08	340	9	4	FOG	30.08	40	39						
09	350	8	6	OVC	30.10	43	42						
10	345	7	6	OVC	30.10	43	42						
11	345	8	6	OVC	30.12	41	40						
12	350	10	6	OVC	30.10	40	40						
13	360	12	6	OVC	30.10	38	38						
14	010	12	6	OVC	30.09	38	38						
15	020	9	6	OVC	30.07	37	37						
16	355	9	6	OVC	30.05	37	36						
17	340	10	6	RAIN	30.03	36	35						
18	330	7	6	RAIN	30.01	36	35						
19	310	10	6	RAIN	30.02	36	35						
20	300	7	5	RAIN	30.04	36	35						
21	290	7	5	OVC	30.06	35	34						
22	310	10	5	OVC	30.07	35	34						
23	310	7	5	OVC	30.09	35	34						
24	310	5	5	OVC	30.10	34	34						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored portside to USS INGRAHAM (DD-694) in berth 222, pier 2, US Naval Base, Newport, R.I., in a nest of three ships, outboard from the pier: INGRAHAM, ABBOT, USS HUGH PURVIS (DD-709), with standard lines doubled and storm lines fore and aft. Receiving all services from the pier. Condition of readiness IV and Material Condition Yoke set. SOPA is COMDESFLOT 2. Other ships present include various units of the US Atlantic Fleet and local service craft.

P B Ellis
Ens. USNR.

04 of Moored as before. 0500 Lit off #1 Boiler. 0745 Mustered the crew at quarters. Absentee: Leslie, G.A., 520 60 30, FN, USN, AWOL since 0730, 27 February 1962.

P B Ellis
Ens. USNR.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) Tuesday (Day) 27 (Date) February (Month) 1952

08-12 Moored as before. 1010 LESKO, George A., 520 00 30, FN, USN, Returned aboard, having been U/A since 0730 This date. 1045 Held daily inspection of Magazines and Smokeless Powder Samples Conditions Normal.

C.T. Eng
Ens USNR

12-16 Moored as before.

C.T. Eng
Ens USNR

16-20 Moored as before. 1610 Shifted to Shore power, Secured fires under No.1 Boiler.

C.T. Eng
Ens USNR

20-24 Moored as before.

APPROVED:

A. H. Craig, CDR, U. S. N. COMMANDING

EXAMINED:

Robuck LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABBOT (DD 629) ZONE DESCRIPTION +5 (R) DATE Wednesday (Day) 28 (Date) February (Month), 1962

AT/~~PASSAGE FROM~~ Berth 222, Pier 2, U.S. Naval Base, Newport, R.I.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	065	6	6	OVC	30.08	40	40						
02	070	4	6	OVC	30.06	42	40						
03	085	5	6	OVC	30.03	44	42						
04	095	6	6	OVC	30.02	41	39						
05	100	2	6	OVC	30.04	42	40						
06	110	4	6	OVC	30.03	42	41						
07	120	8	5	RAIN	30.01	41	40						
08	105	6	5	RAIN	29.99	40	40						
09	090	6	5	RAIN	29.97	40	40						
10	070	4	5	RAIN	29.98	41	40						
11	060	8	5	RAIN	29.96	43	42						
12	060	8	5	RAIN	29.94	41	39						
13	047	7	5	RAIN	29.92	38	37						
14	038	6	3	RAIN	29.90	38	38						
15	041	7	3	RAIN	29.91	39	38						
16	053	8	3	RAIN	29.90	39	38						
17	050	3	3	RAIN	29.88	40	39						
18	055	4	3	RAIN	29.86	39	37						
19	059	4	3	RAIN	29.83	38	36						
20	059	4	3	RAIN	29.82	37	35						
21	060	4	3	RAIN	29.82	38	38						
22	070	4	3	OVC	29.80	38	38						
23	085	4	3	OVC	29.81	38	38						
24	090	5	3	OVC	29.80	38	38						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 Moored port side to USS INGRAHAM (DD 694) in Berth 222, Pier 2, U.S. Naval Base, Newport, R.I., using standard destroyer mooring lines doubled plus stern lines forward and aft. USS HUGH PURVIS (DD 709) is moored alongside to starboard. This ship is receiving all utilities from Pier 2. Medical Material Condition Yoke and Condition of Readiness IV are set. Ship present includes various units of the U.S. Atlantic Fleet and local Service Craft. SOPA is COMDESFLOT 2 aboard USS ARCADIA (AD-23).

C.T. Eggold
Ens USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Present and accounted.

C.T. Eggold
Ens. USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABBOT (DD 629) WEDNESDAY (Day) 28 (Date) FEBRUARY (Month) 19 62

08-12 Moored as before. 0808 USS JOHN HOOD (DD 655) came alongside USS HUGH PURVIS (DD 709) and joined the nest. 0842 Lighted off ship's service generator #2 and shifted from shore power to ship's power. 0845 Made daily inspection of magazines and smokeless powder samples. Conditions reported normal. 1012 Lighted fires under #3 boiler.

Donald P. Greinell
ENS, USN

DPG

12-16 Moored as before. 1230 Stationed the Special Sea and Anchor Detail. Draft forward: 13' 1" aft 13' Completed preparations for getting underway. NAVDESCOL student at the Conn, Captain OOD and Navigator on the Bridge. 1255 HUGH PURVIS and JOHN HOOD breasted clear by tugs (YTB's). 1300 Underway in accordance with NAVDESCOL schedule for ship handling (bumper) drills; maneuvering on various courses and speeds with students at the conn while making approaches to Berth 11. 1544 Completed drills, stationed line handlers. 1559 Moored portside to JOHN HOOD Berth 224 US Naval Base Newport R.I. in nest of (4) ships; INGRAHAM, HUGH PURVIS, JOHN HOOD and ABBOT
Coburn
LTJG USNR

16-20 Moored as before. 1618 Secured #2 ship's service generator. 1623 Secured #3 boiler.

Donald P. Greinell
ENS, USN

20-24 Moored as before.

Donald P. Greinell
ENS., U.S.N.

APPROVED: A. H. Craig, CDR U. S. N. COMMANDING

EXAMINED: Coburn LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6